

Ref: INT 19/08

Item: Polypropylene (PP) Gratings

Description of item:

The commodity (PP gratings) has a quick click device (male and female). The end product remains attached and does not get scattered. It is placed around swimming pools to receive the overflow of water and remains fixed. The commodity is used as structural components used for example in floors, walls or partitions, ceilings or roofs; builders' ware of plastic not elsewhere specified.

Photo/Illustrations(See next page):


Classification :

Heading 39.25 subheading (3925.909)

Rationale:


Application of GIRs 1 and 6 of the Harmonised Commodity Description and Coding System.

Source: ARC/ Tariff Unit




Sécurité

La nouvelle grille transversale pour courbes 8 mm respecte la réglementation de sécurité EN-1345-1 et EN-1345-2.



Absorption

Grâce à la disposition longitudinale des barres de la grille, parallèles au bord de la piscine on évite le débordement des vagues.



Résistance

Résistante à l'action des rayons UV, inaltérables aux agents chimiques et atmosphériques. Elle absorbe de possibles dilatations, causées par les différences thermiques auxquelles la grille est exposée.

Safety

The new grating tile for curves (8 mm) complies with the safety regulations EN-1345-1 and EN-1345-2.

Absorption

Thanks to the longitudinal positioning of the spines of the grating, parallel to the edge of the swimming pool, waves are totally absorbed.

Resistance

Resistant to UV rays, the grating cannot be altered by chemical or atmospheric agents and possible expansion is absorbed.

